


WEST Search History

DATE: Friday, May 09, 2003

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ</i>			
L8	3D6 OR 10D5 OR 22C8 OR 6E10 OR 14A8	27	L8
L7	L2	0	L7
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ</i>			
L6	(L2)	1155	L6
<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>			
L5	L4 AND L2	20	L5
L4	(530/387.1.CCLS.)	1650	L4
L3	L1 AND L2	14	L3
L2	3D6 OR 10D5 OR 22C8 OR 6E10 OR 14A8	1155	L2
L1	(424/130.1.CCLS.)	1000	L1

END OF SEARCH HISTORY



[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Book](#)

Search for

☒ Limits
 [Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

[About Entrez](#)

Text Version

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorial](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[LinkOut](#)
[Cubby](#)

Related Resources

[Order Documents](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

[Privacy Policy](#)


Limits: **only items with abstracts, English**

Show:

Items 1-39 of 39


One page.


- ☐ 1: [Leclercq PD, Stephenson MS, Murray LS, McIntosh TK, Graham DJ, Gentleman SM.](#) [Related Articles, Links](#)
- ☐ Simple morphometry of axonal swellings cannot be used in isolation for dating lesions after traumatic brain injury.
J Neurotrauma. 2002 Oct;19(10):1183-92.
PMID: 12427327 [PubMed - indexed for MEDLINE]
- ☐ 2: [Kotilinek LA, Bacskai B, Westerman M, Kawarabayashi T, Younkin L, Hyman BT, Younkin S, Ashe KH.](#) [Related Articles, Links](#)
- ☐ Reversible memory loss in a mouse transgenic model of Alzheimer's disease.
J Neurosci. 2002 Aug 1;22(15):6331-5.
PMID: 12151510 [PubMed - indexed for MEDLINE]
- ☐ 3: [Green KN, Boyle JP, Peers C.](#) [Related Articles, Links](#)
- ☐ Hypoxia potentiates exocytosis and Ca²⁺ channels in PC12 cells via increased amyloid beta peptide formation and reactive oxygen species generation.
J Physiol. 2002 Jun 15;541(Pt 3):1013-23.
PMID: 12068059 [PubMed - indexed for MEDLINE]
- ☐ 4: [Green KN, Peers C.](#) [Related Articles, Links](#)
- ☐ Divergent pathways account for two distinct effects of amyloid beta peptides on exocytosis and Ca(2+) currents: involvement of ROS and NF-kappaB.
J Neurochem. 2002 Jun;81(5):1043-51.
PMID: 12065617 [PubMed - indexed for MEDLINE]
- ☐ 5: [Dickey CA, Morgan DG, Kudchodkar S, Weiner DB, Bai Y, Cao C, Gordon MN, Ugen KE.](#) [Related Articles, Links](#)
- ☐ Duration and specificity of humoral immune responses in mice vaccinated with the Alzheimer's disease-associated beta-amyloid 1-42 peptide.
DNA Cell Biol. 2001 Nov;20(11):723-9.
PMID: 11788050 [PubMed - indexed for MEDLINE]
- ☐ 6: [Green KN, Peers C.](#) [Related Articles, Links](#)
- ☐ Amyloid beta peptides mediate hypoxic augmentation of Ca(2+) channels.
J Neurochem. 2001 May;77(3):953-6.
PMID: 11331424 [PubMed - indexed for MEDLINE]
- ☐ 7: [Walter J, Fluhrer R, Hartung B, Willem M, Kaether C, Capell A, Lammich S, Multhaup G, Haass C.](#) [Related Articles, Links](#)
- ☐ Phosphorylation regulates intracellular trafficking of beta-secretase.
J Biol Chem. 2001 May 4;276(18):14634-41.
PMID: 11278841 [PubMed - indexed for MEDLINE]
- ☐ 8: [Russo C, Salis S, Dolcini V, Venezia V, Song XH, Teller JK, Schettini G.](#) [Related Articles, Links](#)

-  **Amino-terminal modification and tyrosine phosphorylation of [corrected] carboxy-terminal fragments of the amyloid precursor protein in Alzheimer's disease and Down's syndrome brain.**
Neurobiol Dis. 2001 Feb;8(1):173-80.
PMID: 11162251 [PubMed - indexed for MEDLINE]


 **9: Stone JR, Singleton RH, Povlishock JT.**

[Related Articles, Links](#)

-  **Antibodies to the C-terminus of the beta-amyloid precursor protein (APP): a site specific marker for the detection of traumatic axonal injury.**
Brain Res. 2000 Jul 21;871(2):288-302.
PMID: 10899295 [PubMed - indexed for MEDLINE]


 **10: Piccini A, Ciotti MT, Vitolo OV, Calissano P, Tabaton M, Galli C.**

[Related Articles, Links](#)

-  **Endogenous APP derivatives oppositely modulate apoptosis through an autocrine loop.**
Neuroreport. 2000 May 15;11(7):1375-9.
PMID: 10841341 [PubMed - indexed for MEDLINE]


 **11: Taylor SC, Batten TF, Peers C.**


[Related Articles, Links](#)

-  **Hypoxic enhancement of quantal catecholamine secretion. Evidence for the involvement of amyloid beta-peptides.**
J Biol Chem. 1999 Oct 29;274(44):31217-22.
PMID: 10531316 [PubMed - indexed for MEDLINE]


 **12: Young MJ, Lee RK, Jhaveri S, Wurtman RJ.**


[Related Articles, Links](#)

-  **Intracellular and cell-surface distribution of amyloid precursor protein in cortical astrocytes.**
Brain Res Bull. 1999 Sep 1;50(1):27-32.
PMID: 10507468 [PubMed - indexed for MEDLINE]


 **13: Abraham CR, Marshall DC, Tibbles HE, Otto K, Long HJ, Billingslea AM, Hastey R, Johnson R, Fine RE, Smith SJ, Simons ER, Davies TA.**


[Related Articles, Links](#)

-  **Platelets and DAMI megakaryocytes possess beta-secretase-like activity.**
J Lab Clin Med. 1999 May;133(5):507-15.
PMID: 10235134 [PubMed - indexed for MEDLINE]


 **14: Simons ER, Marshall DC, Long HJ, Otto K, Billingslea A, Tibbles H, Wells J, Eisenhauer P, Fine RE, Cribbs DH, Davies TA, Abraham CR.**


[Related Articles, Links](#)

-  **Blood brain barrier endothelial cells express candidate amyloid precursor protein-cleaving secretases.**
Amyloid. 1998 Sep;5(3):153-62.
PMID: 9818052 [PubMed - indexed for MEDLINE]


 **15: Hayashi Y, Fukatsu R, Tsuzuki K, Yoshida T, Sasaki N, Kimura K, Yamaguchi H, St George-Hyslop PH, Fujii N, Takahata N.**

[Related Articles, Links](#)

-  **Evidence for presenilin-1 involvement in amyloid angiopathy in the Alzheimer's disease-affected brain.**
Brain Res. 1998 Apr 13;789(2):307-14.
PMID: 9573389 [PubMed - indexed for MEDLINE]

 **16: Singhrao SK, Thomas P, Wood JD, MacMillan JC, Neal JW, Harper PS, Jones AL.**

[Related Articles, Links](#)

-  **Huntingtin protein colocalizes with lesions of neurodegenerative diseases: An investigation in Huntington's, Alzheimer's, and Pick's diseases.**
Exp Neurol. 1998 Apr;150(2):213-22.
PMID: 9527890 [PubMed - indexed for MEDLINE]

Yanagisawa K, Ihara Y.

[Related Articles, Links](#)

17:



GM1 ganglioside-bound amyloid beta-protein in Alzheimer's disease brain.
Neurobiol Aging. 1998 Jan-Feb;19(1 Suppl):S65-7.
PMID: 9562471 [PubMed - indexed for MEDLINE]

18: [Busciglio J, Hartmann H, Lorenzo A, Wong C, Baumann K, Sommer B, Staufenbiel M, Yankner BA.](#)[Related Articles, Links](#)

Neuronal localization of presenilin-1 and association with amyloid plaques and neurofibrillary tangles in Alzheimer's disease.
J Neurosci. 1997 Jul 1;17(13):5101-7.
PMID: 9185547 [PubMed - indexed for MEDLINE]

19: [Ghisso J, Calero M, Matsubara E, Governale S, Chuba J, Beavis R, Wisniewski T, Frangione B.](#)[Related Articles, Links](#)

Alzheimer's soluble amyloid beta is a normal component of human urine.
FEBS Lett. 1997 May 12;408(1):105-8.
PMID: 9180278 [PubMed - indexed for MEDLINE]

20: [Matsumoto A, Enomoto T, Fujiwara Y, Baba H, Matsumoto R.](#)[Related Articles, Links](#)

Enhanced aggregation of beta-amyloid-containing peptides by extracellular matrix and their degradation by the 68 kDa serine protease prepared from human brain.
Neurosci Lett. 1996 Dec 20;220(3):159-62.
PMID: 8994217 [PubMed - indexed for MEDLINE]

21: [Stephens DJ, Austen BM.](#)[Related Articles, Links](#)

Metabolites of the beta-amyloid precursor protein generated by beta-secretase localise to the trans-Golgi network and late endosome in 293 cells.
J Neurosci Res. 1996 Oct 15;46(2):211-25.
PMID: 8915898 [PubMed - indexed for MEDLINE]

22: [Conn KJ, Pietropaolo M, Ju ST, Abraham CR.](#)[Related Articles, Links](#)

Monoclonal antibodies against the human metalloprotease EC 3.4.24.15 label neurofibrillary tangles in Alzheimer's disease brain.
J Neurochem. 1996 May;66(5):2011-8.
PMID: 8780030 [PubMed - indexed for MEDLINE]

23: [Szendrei GI, Prammer KV, Vasko M, Lee VM, Otvos L Jr.](#)[Related Articles, Links](#)


The effects of aspartic acid-bond isomerization on in vitro properties of the amyloid beta-peptide as modeled with N-terminal decapeptide fragments.
Int J Pept Protein Res. 1996 Apr;47(4):289-96.
PMID: 8738655 [PubMed - indexed for MEDLINE]

24: [Jeffrey M, Goodsir CM, Fowler N, Hope J, Bruce ME, McBride PA.](#)[Related Articles, Links](#)

Ultrastructural immuno-localization of synthetic prion protein peptide antibodies in 87V murine scrapie.
Neurodegeneration. 1996 Mar;5(1):101-9.
PMID: 8731389 [PubMed - indexed for MEDLINE]

25: [Tsuzuki K, Fukatsu R, Takamaru Y, Yoshida T, Hayashi Y, Yamaguchi H, Fujii N, Takahata N.](#)[Related Articles, Links](#)

Amyloid beta protein in rat soleus muscle in chloroquine-induced myopathy using end-specific antibodies for A beta 40 and A beta 42: immunohistochemical evidence for amyloid beta protein.
Neurosci Lett. 1995 Dec 29;202(1-2):77-80.
PMID: 8787835 [PubMed - indexed for MEDLINE]

-  **26:** [Argiles A, Garcia-Garcia M, Derancourt J, Mourad G, Demaille JG](#)


[Related Articles](#), [Links](#)



Beta 2 microglobulin isoforms in healthy individuals and in amyloid deposits.

Kidney Int. 1995 Nov;48(5):1397-405.

PMID: 8544395 [PubMed - indexed for MEDLINE]

-  **27:** [Piccardo P, Ghetti B, Dickson DW, Vinters HV, Giaccone G, Bugiani O, Tagliavini F, Young K, Dlouhy SR, Seiler C, et al](#)


[Related Articles](#), [Links](#)



Gerstmann-Straussler-Scheinker disease (PRNP P102L): amyloid deposits are best recognized by antibodies directed to epitopes in PrP region 90-165.

J Neuropathol Exp Neurol. 1995 Nov;54(6):790-801.

PMID: 7595652 [PubMed - indexed for MEDLINE]

-  **28:** [Matsumoto A, Matsumoto R, Baba H, Fujiwara Y](#)


[Related Articles](#), [Links](#)



A serine protease in Alzheimer's disease cells cleaves a 16K-peptide with flanking residues upstream to beta-amyloid-N-terminus as natural substrate.

Neurosci Lett. 1995 Aug 11;195(3):171-4.

PMID: 8584202 [PubMed - indexed for MEDLINE]

-  **29:** [Simons M, Ikonen E, Tienari PJ, Cid-Arregui A, Monning U, Beyreuther K, Dotti CG](#)

[Related Articles](#), [Links](#)



Intracellular routing of human amyloid protein precursor: axonal delivery followed by transport to the dendrites.

J Neurosci Res. 1995 May 1;41(1):121-8.

PMID: 7674373 [PubMed - indexed for MEDLINE]

-  **30:** [Jakes R, Harrington CR, Spillantini MG, Goedert M, Klug A](#)


[Related Articles](#), [Links](#)



Characterisation of an antibody relevant to the neuropathology of Alzheimer disease.

Alzheimer Dis Assoc Disord. 1995 Spring;9(1):47-51.

PMID: 7605621 [PubMed - indexed for MEDLINE]

-  **31:** [Dreyer RN, Bausch KM, Fracasso P, Hammond LJ, Wunderlich D, Wirak DO, Davis G, Brini CM, Buckholz TM, Konig G, et al](#)


[Related Articles](#), [Links](#)



Processing of the pre-beta-amyloid protein by cathepsin D is enhanced by a familial Alzheimer's disease mutation.

Eur J Biochem. 1994 Sep 1;224(2):265-71.

PMID: 7523115 [PubMed - indexed for MEDLINE]

-  **32:** [Matsumoto A, Fujiwara Y](#)


[Related Articles](#), [Links](#)



Ca(2+)-dependent 68-kilodalton protease in familial Alzheimer's disease cells cleaves the N-terminus of beta-amyloid.

Biochemistry. 1994 Apr 5;33(13):3941-8.

PMID: 8142398 [PubMed - indexed for MEDLINE]

-  **33:** [Beeson JG, Shelton ER, Chan HW, Gage FH](#)


[Related Articles](#), [Links](#)



Differential distribution of amyloid protein precursor immunoreactivity in the rat brain studied by using five different antibodies.

J Comp Neurol. 1994 Apr 1;342(1):78-96.

PMID: 8207129 [PubMed - indexed for MEDLINE]

-  **34:** [Askanas V, Engel WK, Alvarez RB](#)

[Related Articles](#), [Links](#)



Strong immunoreactivity of beta-amyloid precursor protein, including the beta-amyloid protein sequence, at human neuromuscular junctions.

Neurosci Lett. 1992 Aug 31;143(1-2):96-100.

PMID: 1436686 [PubMed - indexed for MEDLINE]

☐ **35:** [Shioi J, Anderson JP, Ripellino JA, Robakis NK.](#)

[Related Articles](#), [Links](#)



Chondroitin sulfate proteoglycan form of the Alzheimer's beta-amyloid precursor.

J Biol Chem. 1992 Jul 15;267(20):13819-22.

PMID: 1629183 [PubMed - indexed for MEDLINE]

☐ **36:** [Ghisso J, Wisniewski T, Vidal R, Rostagno A, Frangione B.](#)

[Related Articles](#), [Links](#)



Epitope map of two polyclonal antibodies that recognize amyloid lesions in patients with Alzheimer's disease.

Biochem J. 1992 Mar 1;282 (Pt 2):517-22.

PMID: 1372166 [PubMed - indexed for MEDLINE]

☐ **37:** [Linke RP, Geisel O, Mann K.](#)

[Related Articles](#), [Links](#)



Equine cutaneous amyloidosis derived from an immunoglobulin lambda-light chain. Immunohistochemical, immunochemical and chemical results.

Biol Chem Hoppe Seyler. 1991 Sep;372(9):835-43.

PMID: 1772596 [PubMed - indexed for MEDLINE]

☐ **38:** [Tate-Ostroff B, Majocha RE, Walcott EC, Ventosa-Michelman M, Marotta CA.](#)

[Related Articles](#), [Links](#)



Colocalization of amino terminal and A4 (beta-amyloid) antigens in Alzheimer plaques: evidence for coordinated processing of the amyloid precursor protein.

J Geriatr Psychiatry Neurol. 1990 Jul-Sep;3(3):139-45.

PMID: 2126439 [PubMed - indexed for MEDLINE]

☐ **39:** [Fykse EM, Sletten K, Husby G, Cornwell GG 3rd.](#)

[Related Articles](#), [Links](#)



The primary structure of the variable region of an immunoglobulin IV light-chain amyloid-fibril protein (AL GIL).

Biochem J. 1988 Dec 15;256(3):973-80.

PMID: 3146981 [PubMed - indexed for MEDLINE]

Display Show:

Items 1-39 of 39

One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

May 2 2003 16:34:23